

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Temperature	Field	Field		deg. C	00010	SM2500 B and TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Flow	Field	Field		cfs	00061	TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Secchi depth	Field	Field		m	00078	TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Conductivity	Field	Field		uS/cm	00094	EPA 120.1 and TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Dissolved Oxygen	Field	Field		mg/L	00300	SM4500-O G and TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Biochemical Oxygen Demand, 5-day	Water	Conventionals		mg/L	00310	SM 5210 B	2	AWRL consistent with data needs and based on test requirement to have a DO depletion of 2.0 mg/L.	6/1/2003	
Chemical Oxygen Demand	Water	Conventionals		mg/L	00335	SM5220C	10	AWRL consistent with data needs and based on 2x lowest value of the applicable range of method EPA 410.2.	6/1/2003	
pH	Field	Field		std. units	00400	EPA 150.1 and TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Alkalinity, total	Water	Conventionals		mg/L	00410	SM2320B	20	2006 National Recommended Water Quality Criteria	4/20/2007	
Salinity	Field	Field		ppt	00480	SM 2520 and TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Total Suspended Solids	Water	Conventionals		mg/L	00530	SM2540 D	4	AWRL consistent with data needs and based on the applicable range of method EPA 160.2.	6/1/2003	
Volatile Suspended Solids	Water	Conventionals		mg/L	00535	EPA 160.4	4	AWRL consistent with data needs and based on the applicable range of method EPA 160.4.	6/1/2003	
Oil & Grease, Freon Extraction	Water	Conventionals		mg/L	00556	SM5520B	5	AWRL consistent with data needs and based on the applicable range of method EPA 413.1	6/1/2003	
Ammonia-Nitrogen	Water	Conventionals		mg/L	00610	EPA 350.1	0.1	Increase in AWRL justified based on toxicity and potential for false positives at previous AWRL of 0.02	4/20/2007	
Nitrite (as N)	Water	Conventionals		mg/L	00615	EPA 300.0	0.05	AWRL satisfies multiple data needs by considering the drinking water standard, analytical issues, and draft nutrient criteria.	4/20/2007	
Nitrate (as N)	Water	Conventionals		mg/L	00620	EPA 300.0	0.05	AWRL satisfies multiple data needs by considering the drinking water standard, analytical issues, and draft nutrient criteria.	4/20/2007	
Total Kjeldahl Nitrogen	Water	Conventionals		mg/L	00625	SM 4500-n org B or C, SM 4500 NH3 B	0.2	AWRL consistent with data needs and based on 4x lowest value of the applicable range of method EPA 351.3.	6/1/2003	
Nitrate + nitrite (as N)	Water	Conventionals		mg/L	00630	SM 4500-NO3 E	0.05	AWRL satisfies multiple data needs and considers analytical issues.	4/20/2007	
Total phosphate- P	Water	Conventionals		mg/L	00665	EPA 365.3	0.06	AWRL consistent with data needs and based on 6x lowest value of the applicable range of method EPA 356.1.	6/1/2003	
Orthophosphate-P	Water	Conventionals		mg/L	00671	EPA 365.3	0.04	AWRL consistent with data needs and based on 4x lowest value of the applicable range of method EPA 365.1.	6/1/2003	
Total Organic Carbon	Water	Conventionals		mg/L	00680	SM5310 B, C, or D	2	AWRL consistent with data needs and based on 2x lowest value of the applicable range of method EPA 415.1.	6/1/2003	
Cyanide, free (measured by cyanide amenable to chlorination)	Water	Conventionals		mg/L	00722	SM 4500-CN-H	0.005	AWRL based on 50% of the Freshwater Chronic criteria.	6/1/2003	
Total Hardness	Water	Conventionals		mg/L	00900	SM2340 B or C	5	AWRL consistent with data needs and based on ability to quantitate at low levels using larger sample volumes.	6/1/2003	
Calcium, total	Water	Conventionals		mg/L	00916	SM3500-Ca B	0.5	AWRL consistent with data needs and based on the practical level of determination in EPA Method 215.2.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Magnesium, total	Water	Conventionals		mg/L	00927	SM3111B or C	0.5	AWRL consistent with data needs and based on the practical level of determination in EPA Method 242.1	6/1/2003	
Chloride	Water	Conventionals		mg/L	00940	EPA 300.0	5	AWRL consistent with data needs to obtain more meaningful results when running trend analysis.	4/20/2007	
Sulfate	Water	Conventionals		mg/L	00945	EPA 300.0	5	AWRL consistent with data needs to obtain more meaningful results when running trend analysis.	4/20/2007	
Flouride, total	Water	Conventionals		mg/L	00951	EPA 300.0	0.5	AWRL consistent with data needs and based on 5x lowest value of the applicable range of method EPA 340.1.	6/1/2003	
Arsenic, diss.	Water	Metals		ug/L	01000	EPA 200.8	5	AWRL based on analytical capability of conventional GFAA and need to analyze at sensitivities less than the current MCL of drinking water.	6/1/2003	
Arsenic	Sediment	Inorganics	Metals	mg/kg	01003	SW846 6020A	16.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7550-38-2
Arsenic	Tissue	Metals		mg/kg	01004	SW846 6020A	3	AWRL based on 100% of the TDH screening level.	6/1/2003	
Barium, diss.	Water	Metals		ug/L	01005	EPA 208.1	1000	AWRL based on 50% of the Human Health protection standard for Water and Fish	6/1/2003	
Beryllium, diss.	Water	Conventionals		ug/L	01010	EPA 200.8	2	AWRL based on the Maximum Contaminant Level in drinking water.	6/1/2003	
Cadmium, diss. (1)	Water	Metals		ug/L	01025	EPA 200.8	0.1	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 12. Applies to waters where total hardness < 50 mg/L.	6/1/2003	
Cadmium, diss. (2)	Water	Metals		ug/L	01025	EPA 200.8	0.3	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 50. Applies to waters where total hardness >= 50 mg/L.	6/1/2003	
Cadmium	Sediment	Inorganics	Metals	mg/kg	01028	SW846 6020A	2.49	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-43-9
Chromium	Sediment	Inorganics	Metals	mg/kg	01029	SW846 6010	55.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-47-3
Chromium, diss.	Water	Metals		ug/L	01030	EPA 200.8	10	AWRL based on the analytical capability of conventional GFAA and need to analyze at sensitivities less than the lowest water quality standard.	6/1/2003	
Chromium, hexavalent, diss.	Water	Metals		ug/L	01032	SM 3500-CrB	6	AWRL based on 50% of the Freshwater Chronic criteria.	6/1/2003	
Copper, diss. (1)	Water	Metals		ug/L	01040	EPA 200.8	1	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 12. Applies to waters where total hardness < 50 mg/L.	6/1/2003	
Copper, diss. (2)	Water	Metals		ug/L	01040	EPA 200.8	3	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 50. Applies to waters where total hardness >= 50 mg/L.	6/1/2003	
Copper	Sediment	Inorganics	Metals	mg/kg	01043	SW846 6010	74.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7550-50-8
Iron, total	Water	Conventionals		ug/L	01045	SM3111B or C	300	AWRL consistent with data needs and based on the practical level of determination in EPA Method 236.1.	6/1/2003	
Lead, diss. (1)	Water	Metals		ug/L	01049	EPA 200.8	0.1	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 12. Applies to waters where total hardness < 85 mg/L.	6/1/2003	
Lead, diss. (2)	Water	Metals		ug/L	01049	EPA 200.8	1	AWRL based on 50% of the Freshwater Chronic criteria at hardness = 85. Applies to waters where total hardness >= 85 mg/L.	6/1/2003	
Lead	Sediment	Inorganics	Metals	mg/kg	01052	SW846 6020A	64	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7439-92-1
Manganese	Sediment	Inorganics	Metals	mg/kg	01053	SW846 6010	550	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7439-96-5
Manganese, total	Water	Conventionals		ug/L	01055	SM3111B	50	AWRL consistent with data needs and based on the practical level of determination in EPA Method 243.1.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Thallium, diss.	Water	Conventionals		ug/L	01057	EPA 200.8	1	AWRL based on the Maximum Contaminant Level in drinking water.	6/1/2003	
Nickel, diss.	Water	Metals		ug/L	01065	EPA 200.8	10	AWRL based on the analytical capability of conventional GFAA and need to analyze at sensitivities less than the lowest water quality standard.	6/1/2003	
Nickel	Sediment	Inorganics	Metals	mg/kg	01068	SW846 6020A	24.3	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-02-0
Silver, diss. (free)	Water	Metals		ug/L	01075	EPA 200.8	0.5	AWRL based on approximately 50% of the Freshwater Acute criteria.	6/1/2003	
Silver	Sediment	Inorganics	Metals	mg/kg	01078	SW846 6020A	1.1	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-22-4
Zinc, diss.	Water	Metals		ug/L	01090	EPA 200.8	5	AWRL based on the analytical capability of conventional GFAA and need to analyze at sensitivities less than the lowest water quality standard.	6/1/2003	
Zinc	Sediment	Inorganics	Metals	mg/kg	01093	SW846 6010	205	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-66-6
Antimony	Sediment	Inorganics	Metals	mg/kg	01098	SW846 6020A	12.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7440-36-0
Aluminum, diss.	Water	Metals		ug/L	01106	EPA 200.7	200	AWRL based on the analytical capability of conventional GFAA and need to analyze at sensitivities less than the lowest water quality standard.	6/1/2003	
Selenium, total	Water	Metals		ug/L	01147	EPA 200.8	2	AWRL based on approximately 50% of the Freshwater Chronic criteria.	6/1/2003	
Selenium	Tissue	Metals		mg/kg	01149	SW846 6020A	2	AWRL based on 100% of the TDH screening level.	6/1/2003	
Iron	Sediment	Inorganics	Metals	mg/kg	01170	SW846 6010	20000	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7439-89-6
Flow severity	Field	Field		NA	01351	TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Dioxins/Furans (TCDD Equivalents), total	Water	Organics	Other	ug/L	03556	EPA 1613	7.0 E-06	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
High Molecular Weight PAHs	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	20468	SW846 8270C	4800	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	n/a
Low Molecular Weight PAHs	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	20469	SW846 8270C	1580	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	n/a
Total PAH	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	20470	SW846 8270C	11400	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	n/a
Methyl Mercury	Sediment	Organics	Volatiles	ug/kg	20471	SW846 8260B	n/a	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	22967-92-6
Methyl methacrylate	Sediment	Organics	Volatiles	ug/kg	20472	SW846 8260B	28.49	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	80-62-6
Cumene	Sediment	Organics	Volatiles	ug/kg	20473	SW846 8260B	26975	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	98-82-8
N-butylbenzene	Sediment	Organics	Volatiles	ug/kg	20474	SW846 8260B	3285	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	104-51-8
p-Cymene	Sediment	Organics	Volatiles	ug/kg	20475	SW846 8260B	2990	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	99-87-6
1-Pentanol	Sediment	Organics	Volatiles	ug/kg	20476	SW846 8260B	n/a	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	71-41-0
2-Propanol	Sediment	Organics	Volatiles	ug/kg	20477	SW846 8260B	222	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	67-63-0
Sec-butylbenzene	Sediment	Organics	Volatiles	ug/kg	20478	SW846 8260B	2640	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	135-98-8
Tert-butylbenzene	Sediment	Organics	Volatiles	ug/kg	20479	SW846 8260B	3630	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	98-06-6
Tributyltin (TBT)	Water	Organics	Other	ug/L	30340	TCEQ 1001	0.01	AWRL based on the Freshwater Chronic criteria.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Total Coliform	Water	Conventionals		CFU/ 100m L	31501	SM 9222 B	1	AWRL consistent with data needs and based on reporting limit of membrane filter technique using 100ml sample size.	6/1/2003	
Fecal coliform	Water	Conventionals		CFU/ 100m L	31616	SM 9222 D	1	AWRL consistent with data needs and based on reporting limit of membrane filter technique using 100ml sample size.	6/1/2003	
E.coli (IDEXX)	Water	Conventionals		MPN/ 100m L	31699	SM 9223 B	1	AWRL consistent with data needs and based on reporting limit of MPN technique.	6/1/2003	
Enterococcus (IDEXX)	Water	Conventionals		MPN/ 100m L	31701	ASTM D-6503	1	AWRL consistent with data needs and based on reporting limit of MPN technique.	6/1/2003	
Carbon Tetrachloride	Water	Organics	Volatile Organic Compounds	ug/L	32102	EPA 624	1.9	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chlorodibromomethane	Water	Organics	Volatile Organic Compounds	ug/L	32105	EPA 624	4.6	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chloroform	Water	Organics	Volatile Organic Compounds	ug/L	32106	EPA 624	50	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chlorophyll-a	Water	Conventionals		ug/L	32211	EPA 446.0	3	AWRL lowered from 10 to 5 on 5/7/03 based on data needs and ability to quantitate at lower levels. AWRL lowered from 5 to 3 on 1/18/06 based on data needs.	6/1/2003	
Pheophytin	Water	Conventionals		ug/L	32218	EPA 446.0	3	AWRL lowered from 5 to 3 on 5/7/03 based on data needs and ability to quantitate at lower levels.	6/1/2003	
2-hexanone	Sediment	Organics	Volatiles	ug/kg	32745	SW846 8260B	14100	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	591-78-6
4-methyl-2-pentanone (MIBK)	Sediment	Organics	Volatiles	ug/kg	32762	SW846 8260B	58295	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	108-10-1
Benzene	Water	Organics	Volatile Organic Compounds	ug/L	34030	EPA 624	2.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Acenaphthylene	Water	Organics	Semivolatile Organic Compounds	ug/L	34200	SW846 8270C	5	AWRL based on LCRA PQL	12/1/2003	208-96-8
Acenaphthylene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34203	SW846 8270C	65	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	208-96-8
Acenaphthylene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34204	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	208-96-8
Acenaphthene	Water	Organics	Semivolatile Organic Compounds	ug/L	34205	SW846 8270C	11	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	83-32-9
Acenaphthene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34208	SW846 8270C	44.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	83-32-9
Acenaphthene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34209	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	83-32-9
Acrylonitrile	Water	Organics	Volatile Organic Compounds	ug/L	34215	EPA 624	0.6	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Acrylonitrile	Sediment	Organics	Volatiles	ug/kg	34218	SW846 8260B	520	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	107-13-1
Anthracene	Water	Organics	Semivolatile Organic Compounds	ug/L	34220	SW846 8270C	0.15	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	120-12-7
Anthracene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34223	SW846 8270C	422.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	120-12-7

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Anthracene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34224	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	120-12-7
Benzo (b) fluoranthene	Water	Organics	Semivolatile Organic Compounds	ug/L	34230	SW846 8270C	0.19	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	205-99-2
Benzo (b) fluoranthene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34234	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	205-99-2
Benzene	Sediment	Organics	Volatiles	ug/kg	34237	SW846 8260B	22505	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	71-43-2
Benzidine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34241	SW846 8270C	0.7	AWRL changed from 0.0003 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	92-87-5
Benzo (k) fluoranthene	Water	Organics	Semivolatile Organic Compounds	ug/L	34242	SW846 8270C	0.19	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	207-08-9
Benzo (k) fluoranthene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34246	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	207-08-9
Benzo(a)pyrene	Water	Organics	Semivolatile Organic Compounds	ug/L	34247	EPA 625	0.05	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Benzo(a)pyrene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34250	SW846 8270C	725	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	50-32-8
Benzo(a)pyrene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34251	SW846 8270C	0.5	AWRL changed from 0.3 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	50-32-8
beta-BHC	Sediment	Organics	Chlorinated Pesticides/PCBs/ Benzenes	ug/kg	34257	SW846 8081A	105	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	319-85-7
beta-Hexachlorocyclo hexane	Tissue	Organics	Organochlorine Pesticides	mg/kg	34258	SW846 8081A	1	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Bis(chloromethyl) ether	Water	Organics	Volatile Organic Compounds	ug/L	34268	EPA 624	0.002	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
bis-(2-Chloroethyl) ether	Water	Organics	Semivolatile Organic Compounds	ug/L	34273	SW846 8270C	0.15	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	111-44-4
bis-(2-Chloroethyl) ether	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34277	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	111-44-4
bis-(2-Chloroethoxy) methane	Water	Organics	Semivolatile Organic Compounds	ug/L	34278	SW846 8270C	5	AWRL based on LCRA PQL	12/1/2003	111-91-1
bis-(2-Chloroethoxy) methane	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34282	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	111-91-1
bis-(2-Chloroisopropyl) ether	Water	Organics	Semivolatile Organic Compounds	ug/L	34283	SW846 8270C	700	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	39638-32-9
bis-(2-Chloroisopropyl) ether	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34287	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	39638-32-9
Bromoform	Sediment	Organics	Volatiles	ug/kg	34290	SW846 8260B	665	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-25-2

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
N-Butylbenzyl Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	34292	SW846 8270C	46	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	85-68-7
N-Butylbenzyl Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34296	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	85-68-7
Carbon tetrachloride	Sediment	Organics	Volatiles	ug/kg	34299	SW846 8260B	18665	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	56-23-5
Chlorobenzene	Water	Organics	Volatile Organic Compounds	ug/L	34301	EPA 624	390	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chlorobenzene	Sediment	Organics	Volatiles	ug/kg	34304	SW846 8260B	9935	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	108-90-7
Chlorodibromomethane	Sediment	Organics	Volatiles	ug/kg	34309	SW846 8260B	470	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	124-48-1
Chloroform (trichloromethane)	Sediment	Organics	Volatiles	ug/kg	34318	SW846 8260B	12.9	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	67-66-3
Chrysene	Water	Organics	Semivolatile Organic Compounds	ug/L	34320	EPA 625	0.2	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chrysene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34323	SW846 8270C	645	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	218-01-9
Chrysene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34324	SW846 8270C	0.5	AWRL changed from 0.3 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	218-01-9
Bromodichloromethane	Sediment	Organics	Volatiles	ug/kg	34330	SW846 8260B	7370	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-27-4
Dichlorodifluoro- methane	Sediment	Organics	Volatiles	ug/kg	34334	SW846 8260B	11045	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-71-8
Diethyl Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	34336	SW846 8270C	1000	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	84-66-2
Diethyl Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34340	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	84-66-2
Dimethyl Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	34341	SW846 8270C	165	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	131-11-3
Dimethyl Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34345	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	131-11-3
Endosulfan sulfate	Water	Organics	Organochlorine Pesticides	ug/L	34351	EPA 608	0.03	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Endosulfan II (beta)	Water	Organics	Organochlorine Pesticides	ug/L	34356	EPA 608	0.03	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Endosulfan I (alpha)	Water	Organics	Organochlorine Pesticides	ug/L	34361	EPA 608	0.03	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Ethylbenzene	Sediment	Organics	Volatiles	ug/kg	34374	SW846 8260B	1965	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	100-41-4
Fluoranthene	Water	Organics	Semivolatile Organic Compounds	ug/L	34376	SW846 8270C	3	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	206-44-0
Fluoranthene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34379	SW846 8270C	1115	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	206-44-0

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Fluoranthene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34380	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	206-44-0
Fluorene	Water	Organics	Semivolatile Organic Compounds	ug/L	34381	SW846 8270C	5.5	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	86-73-7
Fluorene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34384	SW846 8270C	268	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	86-73-7
Fluorene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34385	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	86-73-7
Hexachlorocyclopentadiene	Water	Organics	Semivolatile Organic Compounds	ug/L	34386	SW846 8270C	25	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	77-47-4
Hexachlorocyclopentadiene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34390	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	77-47-4
Hexachlorobutadiene	Water	Organics	Semivolatile Organic Compounds	ug/L	34391	EPA 625	1.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Hexachlorobutadiene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34395	SW846 8270C	0.5	AWRL changed from 11 to approx. Nat. Fish Tissue Survey Screening Levels	6/1/2003	87-68-3
Hexachloroethane	Water	Organics	Semivolatile Organic Compounds	ug/L	34396	EPA 625	42	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Hexachloroethane	Sediment	Organics	Volatiles	ug/kg	34399	SW846 8270C	6885	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	67-72-1
Hexachloroethane	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34400	SW846 8270C	0.5	AWRL changed from 160 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	67-72-1
Ideno (1,2,3-cd) pyrene	Water	Organics	Semivolatile Organic Compounds	ug/L	34403	SW846 8270C	0.19	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	193-39-5
Ideno (1,2,3-cd) pyrene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34407	SW846 8270C	0.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	193-39-5
Isophorone	Water	Organics	Semivolatile Organic Compounds	ug/L	34408	SW846 8270C	170	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	78-59-1
Isophorone	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34412	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	78-59-1
Methyl bromide	Sediment	Organics	Volatiles	ug/kg	34416	SW846 8260B	230	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	74-83-9
Methylene chloride	Sediment	Organics	Volatiles	ug/kg	34426	SW846 8260B	23.26	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-09-2
N-Nitroso-di-n-Propylamine	Water	Organics	Semivolatile Organic Compounds	ug/L	34428	SW846 8270C	0.025	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	621-64-7
N-Nitroso-di-n-Propylamine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34432	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	621-64-7

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
N-Nitrosodiphenylamine	Water	Organics	Semivolatile Organic Compounds	ug/L	34433	SW846 8270C	290	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	86-30-6
N-Nitrosodiphenylamine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34437	SW846 8270C	0.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	86-30-6
N-Nitrosodimethylamine	Water	Organics	Semivolatile Organic Compounds	ug/L	34438	SW846 8270C	0.0035	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	62-75-9
N-Nitrosodimethylamine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34442	SW846 8270C	1.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	62-75-9
Naphthalene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34445	SW846 8270C	280.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	91-20-3
Naphthalene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34446	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	91-20-3
Nitrobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	34447	EPA 625	19	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Nitrobenzene	Sediment	Organics	Volatiles	ug/kg	34450	SW846 8270C	80.53	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	98-95-3
Nitrobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34451	SW846 8270C	0.5	AWRL changed from 9 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	98-95-3
3-Methyl-4-Chlorophenol (parachlorometa cresol)	Water	Organics	Semivolatile Organic Compounds	ug/L	34452	SW846 8270C	0.15	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	59-50-7
3-Methyl-4-Chlorophenol (parachlorometa cresol)	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34456	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	59-50-7
Phenanthrene	Water	Organics	Semivolatile Organic Compounds	ug/L	34461	EPA 625	15	AWRL based on the Freshwater Acute criteria.	6/1/2003	
Phenanthrene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34464	SW846 8270C	585	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	85-01-8
Phenanthrene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34465	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	85-01-8
Phenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34468	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	108-95-2
Pyrene	Water	Organics	Semivolatile Organic Compounds	ug/L	34469	SW846 8270C	3.5	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	129-00-0
Pyrene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34472	SW846 8270C	760	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	129-00-0
Pyrene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34473	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	129-00-0
Tetrachloroethylene	Water	Organics	Volatile Organic Compounds	ug/L	34475	EPA 624	2.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Tetrachloroethene	Sediment	Organics	Volatiles	ug/kg	34478	SW846 8260B	5025	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	127-18-4

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Toluene	Sediment	Organics	Volatiles	ug/kg	34483	SW846 8260B	2830	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	108-88-3
1,1-Dichloroethane	Sediment	Organics	Volatiles	ug/kg	34499	SW846 8260B	6945	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-34-3
1,1 - Dichloroethylene	Water	Organics	Volatile Organic Compounds	ug/L	34501	EPA 624	0.8	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,1-dichloroethene	Sediment	Organics	Volatiles	ug/kg	34504	SW846 8260B	5610	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-35-4
1,1,1 - Trichloroethane	Water	Organics	Volatile Organic Compounds	ug/L	34506	EPA 624	100	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,1,1-trichloroethane	Sediment	Organics	Volatiles	ug/kg	34509	SW846 8260B	7915	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	71-55-6
1,1,2-trichloroethane	Sediment	Organics	Volatiles	ug/kg	34514	SW846 8260B	900	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	79-00-5
1,1,2,2-tetrachloroethane	Sediment	Organics	Volatiles	ug/kg	34519	SW846 8260B	1845	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	79-34-5
Benzo (ghi) perylene	Water	Organics	Semivolatile Organic Compounds	ug/L	34521	SW846 8270C	15	AWRL based on LCRA PQL	12/1/2003	191-24-2
Benzo (ghi) perylene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34525	SW846 8270C	0.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	191-24-2
Benzo(a)anthracene	Water	Organics	Semivolatile Organic Compounds	ug/L	34526	EPA 625	0.05	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Benzo(a)anthracene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34529	SW846 8270C	525	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	56-55-3
Benzo(a)anthracene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34530	SW846 8270C	0.5	AWRL changed from 0.3 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	56-55-3
1,2 - Dichloroethane	Water	Organics	Volatile Organic Compounds	ug/L	34531	EPA 624	2.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,2-Dichloroethane	Sediment	Organics	Volatiles	ug/kg	34534	SW846 8260B	12900	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	107-06-2
1,2-Dichlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	34536	SW846 8270C	55	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	95-50-1
1,2-Dichlorobenzene	Sediment	Organics	Volatiles	ug/kg	34539	SW846 8270C	2220	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	95-50-1
1,2-Dichlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34540	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	95-50-1
1,2-Dichloropropane	Sediment	Organics	Volatiles	ug/kg	34544	SW846 8260B	6585	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	78-87-5
1,2-dichloroethene (trans)	Sediment	Organics	Volatiles	ug/kg	34549	SW846 8260B	35920	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	156-60-5
1,2,4-Trichlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	34551	SW846 8270C	25	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	120-82-1
1,2,4-trichlorobenzene	Sediment	Organics	Volatiles	ug/kg	34554	SW846 8270C	1160	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	120-82-1
1,2,4-Trichlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34555	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	120-82-1

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Dibenz (a,h) anthracene	Water	Organics	Semivolatile Organic Compounds	ug/L	34556	SW846 8270C	0.19	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	53-70-3
Dibenz(a,h)anthracene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	34559	SW846 8270C	70	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	53-70-3
Dibenz (a,h) anthracene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34560	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	53-70-3
1,3 - Dichloropropene	Water	Organics	Volatile Organic Compounds	ug/L	34561	EPA 624	11	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,3-dichloropropene	Sediment	Organics	Volatiles	ug/kg	34564	SW846 8260B	130	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	541-75-6
1,3-Dichlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	34566	SW846 8270C	42	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	541-73-1
1,3-Dichlorobenzene	Sediment	Organics	Volatiles	ug/kg	34569	SW846 8270C	175	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	541-73-1
1,3-Dichlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34570	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	541-73-1
p-Dichlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	34571	EPA 625	38	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,4-Dichlorobenzene	Sediment	Organics	Volatiles	ug/kg	34574	SW846 8270C	2105	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	106-46-7
1,4-Dichlorobenzene (p-dichlorobenzene)	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34575	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	106-46-7
2-Chloronapthalene	Water	Organics	Semivolatile Organic Compounds	ug/L	34581	SW846 8270C	27	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	91-58-7
2-Chloronapthalene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34585	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	91-58-7
2-Chlorophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34586	SW846 8270C	40	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	95-57-8
2-Chlorophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34590	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	95-57-8
2-Nitrophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34591	SW846 8270C	960	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	88-75-5
2-Nitrophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34595	SW846 8270C	0.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	88-75-5
Di-n-octyl Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	34596	SW846 8270C	11	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	117-84-0
Di-n-octyl Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34600	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	117-84-0
2,4-Dichlorophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34601	SW846 8270C	40	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	120-83-2

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
2,4-Dichlorophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34605	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	120-83-2
2,4-Dimethylphenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34606	SW846 8270C	105	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	105-67-9
2,4-Dimethylphenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34610	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	105-67-9
2,4-Dinitrotoluene	Water	Organics	Semivolatile Organic Compounds	ug/L	34611	SW846 8270C	0.55	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	121-14-2
2,4-Dinitrotoluene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34615	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	121-14-2
2,4-Dinitrophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34616	SW846 8270C	30	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	51-28-5
2,4-Dinitrophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34620	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	51-28-5
2,4,6-Trichlorophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34621	SW846 8270C	7	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	88-06-2
2,4,6-Trichlorophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34625	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	88-06-2
2,6-Dinitrotoluene	Water	Organics	Semivolatile Organic Compounds	ug/L	34626	SW846 8270C	5	AWRL based on LCRA PQL	12/1/2003	606-20-2
2,6-Dinitrotoluene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34630	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	606-20-2
3,3'-Dichlorobenzidine	Water	Organics	Semivolatile Organic Compounds	ug/L	34631	SW846 8270C	0.1	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	91-94-1
3,3'-Dichlorobenzidine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34635	SW846 8270C	1.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	91-94-1
4-Bromophenyl Phenyl Ether	Water	Organics	Semivolatile Organic Compounds	ug/L	34636	SW846 8270C	0.75	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	101-55-3
4-Bromophenyl Phenyl Ether	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34640	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	101-55-3
4-Chlorophenyl Phenyl Ether	Water	Organics	Semivolatile Organic Compounds	ug/L	34641	SW846 8270C	5	AWRL based on LCRA PQL	12/1/2003	7005-72-3
4-Chlorophenyl Phenyl Ether	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34645	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	7005-72-3
4-Nitrophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34646	SW846 8270C	530	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	100-2-7

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
4-Nitrophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34650	SW846 8270C	1.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	100-2-7
4,6-Dinitro-o-cresol (DNOC)	Water	Organics	Semivolatile Organic Compounds	ug/L	34657	SW846 8270C	11	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	534-52-1
4,6-Dinitro-o-cresol (DNOC)	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34661	SW846 8270C	0.7	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	534-52-1
Aldrin	Tissue	Organics	Organochlorine Pesticides	mg/kg	34680	SW846 8081A	0.1	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Chlordane	Tissue	Organics	Organochlorine Pesticides	mg/kg	34682	SW846 8081A	0.3	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Di-n-butyl Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34683	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	84-74-2
Heptachlor epoxide	Tissue	Organics	Organochlorine Pesticides	mg/kg	34686	SW846 8081A	0.3	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Heptachlor	Tissue	Organics	Organochlorine Pesticides	mg/kg	34687	SW846 8081A	0.2	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Hexachlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	34688	SW846 8270C	0.6	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Toxaphene	Tissue	Organics	Organochlorine Pesticides	mg/kg	34691	SW846 8081A	0.8	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Phenol	Water	Organics	Semivolatile Organic Compounds	ug/L	34694	SW846 8270C	55	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	108-95-2
Naphthalene	Water	Organics	Semivolatile Organic Compounds	ug/L	34696	SW846 8270C	250	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	91-20-3
Pentachlorophenol	Water	Organics	Chlorinated Herbicides	ug/L	39032	EPA 615	0.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Simazine	Water	Organics	Semivolatile Organic Compounds	ug/L	39055	EPA 525.2	2	AWRL based on the Maximum Contaminant Level in drinking water.	6/1/2003	
Pentachlorophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	39060	SW846 8270C	1.7	AWRL changed from 530 to approx. Nat. Fish Tissue Survey Screening Levels	12/1/2003	87-65-5
alpha-Hexachlorocyclo hexane	Tissue	Organics	Organochlorine Pesticides	mg/kg	39074	SW846 8081A	0.4	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
alpha-BHC	Sediment	Organics	Chlorinated Pesticides/PCBs/ Benzenes	ug/kg	39076	SW846 8081A	50	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	319-84-6
bis-(2-Ethylhexyl) Phthalate	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	39099	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	117-81-7
bis-(2-Ethylhexyl) Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	39100	SW846 8270C	3	AWRL based on 50% of the Human Health Fish and FW surface water RBEL	12/1/2003	117-81-7
Bis(2-Ethylhexyl)phthalate	Sediment	Organics	Phthalates	ug/kg	39102	SW846 8270C	1323.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	117-81-7
Di-n-butyl Phthalate	Water	Organics	Semivolatile Organic Compounds	ug/L	39110	SW846 8270C	3.5	AWRL based on 50% of the Aquatic Life FW Chronic surface water RBEL	12/1/2003	84-74-2

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Di-n-butyl phthalate	Sediment	Organics	Phthalates	ug/kg	39112	SW846 8270C	21.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	84-74-2
Benzidine	Water	Organics	Semivolatile Organic Compounds	ug/L	39120	EPA 625	0.0005	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Vinyl Chloride	Water	Organics	Volatile Organic Compounds	ug/L	39175	EPA 624	1	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Trichloroethylene	Water	Organics	Volatile Organic Compounds	ug/L	39180	EPA 624	2.5	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Aldrin	Water	Organics	Organochlorine Pesticides	ug/L	39330	EPA 608	0.002	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Aldrin	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39333	SW846 8081A	40	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	309-00-2
Hexachlorocyclohexane (alpha)	Water	Organics	Organochlorine Pesticides	ug/L	39337	EPA 608	0.08	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Hexachlorocyclohexane (beta)	Water	Organics	Organochlorine Pesticides	ug/L	39338	EPA 608	0.3	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chlordane	Water	Organics	Organochlorine Pesticides	ug/L	39350	EPA 608	0.002	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Chlordane, total	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39351	SW846 8081A	2.4	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	57-74-1
4,4' - DDD	Water	Organics	Organochlorine Pesticides	ug/L	39360	EPA 608	0.005	AWRL based on the Human Health protection standard for Freshwater Fish.	6/1/2003	
Sum DDD	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39363	SW846 8081A	3.91	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	72-54-8
4,4' - DDE	Water	Organics	Organochlorine Pesticides	ug/L	39365	EPA 608	0.004	AWRL based on the Human Health protection standard for Freshwater Fish.	6/1/2003	
Sum DDE	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39368	SW846 8081A	15.65	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	72-55-9
4,4' - DDT	Water	Organics	Organochlorine Pesticides	ug/L	39370	EPA 608	0.0005	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Sum DDT	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39373	SW846 8081A	23	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	50-29-3
DDT	Tissue	Organics	Organochlorine Pesticides	mg/kg	39376	SW846 8081A	5	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Dieldrin	Water	Organics	Organochlorine Pesticides	ug/L	39380	EPA 608	0.001	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Dieldrin	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39383	SW846 8081A	2.15	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	60-57-1
Endrin	Water	Organics	Organochlorine Pesticides	ug/L	39390	EPA 608	0.001	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Endrin	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39393	SW846 8081A	103.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	72-20-8
Toxaphene	Water	Organics	Organochlorine Pesticides	ug/L	39400	EPA 608	0.0001	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Toxaphene	Sediment	Organics	Other Pesticides	ug/kg	39403	SW846 8081A	16	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	8001-35-2

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Dieldrin	Tissue	Organics	Organochlorine Pesticides	mg/kg	39406	SW846 8081A	0.06	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Heptachlor	Water	Organics	Organochlorine Pesticides	ug/L	39410	EPA 608	0.002	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Heptachlor Epoxide	Water	Organics	Organochlorine Pesticides	ug/L	39420	EPA 608	0.08	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Heptachlor epoxide	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39423	SW846 8081A	8	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	1024-57-3
Methoxychlor	Water	Organics	Organochlorine Pesticides	ug/L	39480	EPA 608	0.02	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Aroclor 1248	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39503	SW846 8082	750	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	12672-29-6
Aroclor 1254	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39507	SW846 8082	170	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	27323-18-8
Aroclor 1260	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39511	SW846 8082	120	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	11096-82-5
Aroclor 1016	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39514	SW846 8082	265	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	12674-11-2
PCBs	Tissue	Organics	PCBs	mg/kg	39515	SW846 8082	0.1	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Polychlorinated Biphenyls (PCBs), total	Water	Organics	Organochlorine Pesticides	ug/L	39516	EPA 608	0.001	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
PCB, total	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39519	SW846 8082	90	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	1336-36-3
Malathion	Water	Organics	Organophosphorus Pesticides	ug/L	39530	EPA 622	0.005	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Parathion (ethyl)	Water	Organics	Organophosphorus Pesticides	ug/L	39540	EPA 622	0.007	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Demeton	Water	Organics	Organophosphorus Pesticides	ug/L	39560	EPA 622	0.05	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Guthion	Water	Organics	Organophosphorus Pesticides	ug/L	39580	EPA 622	0.005	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Atrazine	Water	Organics	Semivolatile Organic Compounds	ug/L	39630	EPA 525.2	1.5	AWRL based on the Maximum Contaminant Level in drinking water.	6/1/2003	
Diuron	Water	Organics	Other	ug/L	39650	EPA 632	35	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Hexachlorobenzene	Water	Organics	Organochlorine Pesticides	ug/L	39700	EPA 608	0.01	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
HCB (Hexachlorobenzene)	Sediment	Organics	Chlorinated Pesticides/PCBs/Benzenes	ug/kg	39701	SW846 8270C	120	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	118-74-1
Hexachlorobutadiene	Sediment	Organics	Volatiles	ug/kg	39705	SW846 8270C	6.38	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	87-68-3
2,4 - D	Water	Organics	Chlorinated Herbicides	ug/L	39730	EPA 615	35	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Carbaryl	Water	Organics	Other	ug/L	39750	EPA 632	1	AWRL based on the Freshwater Acute criteria.	6/1/2003	
Mirex	Water	Organics	Organochlorine Pesticides	ug/L	39755	EPA 608	0.0005	AWRL based on the Freshwater Chronic criteria.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
2,4,5 - TP (silvex)	Water	Organics	Chlorinated Herbicides	ug/L	39760	EPA 615	24	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Dicofol	Water	Organics	Organochlorine Pesticides	ug/L	39780	EPA 608	0.1	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Hexachlorocyclohexane (gamma) (Lindane)	Water	Organics	Organochlorine Pesticides	ug/L	39782	EPA 608	0.04	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
gamma- BHC (Lindane)	Sediment	Organics	Chlorinated Pesticides/PCBs/ Benzenes	ug/kg	39783	SW846 8081A	0.5	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	58-89-9
gamma-Hexachlorocyclo hexane (lindane)	Tissue	Organics	Organochlorine Pesticides	mg/kg	39785	SW846 8081A	6	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Hexane, n-	Sediment	Organics	Volatiles	ug/kg	45504	SW846 8260B	6385	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	110-54-3
MTBE	Water	Organics	Volatile Organic Compounds	ug/L	46491	EPA 524	7	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Chlorine residual	Water	Conventionals		mg/L	50060	SM 4500-Cl G and TCEQ SOP	0.1	AWRL consistent with data needs and based on the applicable range of method EPA 330.3.	6/1/2003	
Perchlorate	Water	Organics	Other	ug/L	61209	EPA 314.0	2	AWRL based method sensitivity and concerns at less than TCEQ screening guidelines.	6/1/2003	
Total Dissolved Solids	Water	Conventionals		mg/L	70300	SM2540 C	10	AWRL consistent with data needs and based on the applicable range of method EPA 160.1.	6/1/2003	
Chlorophyll-a	Water	Conventionals		ug/L	70953	EPA 445.0	3	AWRL consistent with data needs.	1/18/2006	
Mercury	Sediment	Inorganics	Metals	mg/kg	71921	SW846 7471	0.355	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	7439-97-6
Mercury	Tissue	Metals		mg/kg	71930	SW846 7471	0.7	AWRL based on 100% of the TDH screening level.	6/1/2003	
Lead	Tissue	Metals		mg/kg	71936	SW846 6020A	1	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Copper	Tissue	Metals		mg/kg	71937	SW846 6010	40	AWRL based on 100% of the TDH screening level.	6/1/2003	
Chromium	Tissue	Metals		mg/kg	71939	SW846 6010	100	AWRL based on 100% of the TDH screening level.	6/1/2003	
Cadmium	Tissue	Metals		mg/kg	71940	SW846 6020A	0.5	AWRL based on 100% of the TDH screening level.	6/1/2003	
Mercury, total	Water	Metals		ug/L	71960	EPA 1631	0.006	AWRL based on 50% of the Human Health protection standard for Water and Fish	6/1/2003	
Days since last significant rainfall	Field	Field		days	72053	TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
N-Nitroso-di-n- butylamine	Water	Organics	Semivolatile Organic Compounds	ug/L	73609	EPA 625	0.9	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
N-Nitrosodiethylamine	Water	Organics	Semivolatile Organic Compounds	ug/L	73611	EPA 625	0.02	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Acetone	Sediment	Organics	Volatiles	ug/kg	75059	SW846 8260B	183995	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	67-64-1
Styrene	Sediment	Organics	Volatiles	ug/kg	75192	SW846 8260B	11155	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	100-42-5
Pyridine	Water	Organics	Semivolatile Organic Compounds	ug/L	77045	EPA 625	44	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
1,2 - Dibromoethane	Water	Organics	Volatile Organic Compounds	ug/L	77651	EPA 624	0.007	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
2,4,5 - Trichlorophenol	Water	Organics	Semivolatile Organic Compounds	ug/L	77687	EPA 625	32	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
1,2,4,5 - Tetrachlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	77734	EPA 625	0.1	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
 Last Revised July 2012
 Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Pentachlorobenzene	Water	Organics	Semivolatile Organic Compounds	ug/L	77793	EPA 625	3	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Alachlor	Water	Organics	Semivolatile Organic Compounds	ug/L	77825	EPA 525.2	1	AWRL based on the Maximum Contaminant Level in drinking water.	6/1/2003	
Carbon disulfide	Sediment	Organics	Volatiles	ug/kg	78544	SW846 8260B	390	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	75-15-0
Propyl benzene	Sediment	Organics	Volatiles	ug/kg	78764	SW846 8260B	2175	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	103-65-1
2- Methyl naphthalene	Sediment	Organics	Polycyclic Aromatic Hydrocarbons	ug/kg	78868	SW846 8270C	335	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	91-57-6
Cresols	Water	Organics	Semivolatile Organic Compounds	ug/L	79778	EPA 625	1700	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Mirex	Sediment	Organics	Chlorinated Pesticides/PCBs/ Benzenes	ug/kg	79800	SW846 8081A	650	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	2385-85-5
BHC	Sediment	Organics	Chlorinated Pesticides/PCBs/ Benzenes	ug/kg	81323	SW846 8081A	60	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	608-73-1
Chloropyrifos	Water	Organics	Organophosphorus Pesticides	ug/L	81403	EPA 622	0.02	AWRL based on the Freshwater Chronic criteria.	6/1/2003	
Methyl Ethyl Ketone	Water	Organics	Volatile Organic Compounds	ug/L	81595	EPA 624	26000	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Mirex	Tissue	Organics	Organochlorine Pesticides	mg/kg	81645	SW846 8081A	0.04	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Cyanazine	Water	Organics	Semivolatile Organic Compounds	ug/L	81757	EPA 525.2	2	AWRL based on the Maximum Contaminant Level of related compound Simazine.	6/1/2003	
DDE	Tissue	Organics	Organochlorine Pesticides	mg/kg	81896	SW846 8081A	5	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
DDD	Tissue	Organics	Organochlorine Pesticides	mg/kg	81897	SW846 8081A	10	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Turbidity, lab	Water	Conventionals		NTU	82079	SM 2130 B	0.5	AWRL consistent with data needs and based on the lowest reportable value for turbidity in the range of 0-1.0 based on method SM 2130-B.	6/1/2003	
TTHM (Sum of total trihalomethanes)	Water	Organics	Volatile Organic Compounds	ug/L	82080	EPA 624	50	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
Metolachlor	Water	Organics	Semivolatile Organic Compounds	ug/L	82612	EPA 525.2	2	AWRL based on the Maximum Contaminant Level of related compound Simazine.	6/1/2003	
Total water depth	Field	Field		m	82903	TCEQ RWA SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Pentachlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	85679	SW846 8270C	14	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Dicofol (Kelthane)	Tissue	Organics	Organochlorine Pesticides	mg/kg	85684	SW846 8081A	5	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
2,4,5-Trichlorophenol	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88809	SW846 8270C	0.5	AWRL based on approx. the Nat. Fish Tissue Survey screening level	12/1/2003	95-95-4
Cresols, total	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88812	SW846 8270C	880	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	

Ambient Water Reporting Limits (AWRLs) for Texas Surface Water Quality Monitoring Programs
Last Revised July 2012
Yellow shaded cells denote changes

Parameter	Media	Category	Subcategory	Units	Storet	Suggested Method	AWRL	Comment	Date Established	CAS Number
Hexachlorophene	Water	Organics	Semivolatile Organic Compounds	ug/L	88813	EPA 625	0.03	AWRL based on the Human Health protection standard for Freshwater Fish.	6/1/2003	
Hexachlorophene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88815	SW846 8270C	5	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
N-Nitrosodiethylamine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88818	SW846 8270C	0.01	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
N-Nitrosodi-n-butylamine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88821	SW846 8270C	0.4	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Pyridine	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88824	SW846 8270C	17	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
1,2,4,5- Tetrachlorobenzene	Tissue	Organics	Semivolatile Organic Compounds	mg/kg	88827	SW846 8270C	5	AWRL based on 100% of the Human Health in TSWQS screening level.	6/1/2003	
Chloromethane	Sediment	Organics	Volatiles	ug/kg	88835	SW846 8260B	5340	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	74-87-3
Flow measurement method	Field	Field		NA	89835	TCEQ SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Max. pool width	Field	Field		m	89864	TCEQ RWA SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Max. pool depth	Field	Field		m	89865	TCEQ RWA SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Pool length	Field	Field		m	89869	TCEQ RWA SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Percent pool coverage	Field	Field		%	89870	TCEQ RWA SOP	NA	Reporting consistent with SWQM Guidance and measurement capability.	6/1/2003	
Danitol	Water	Organics	Other	ug/L	--	HPLC	0.3	AWRL based on the Human Health protection standard for Water and Fish.	6/1/2003	
2-butanone	Sediment	Organics	Volatiles	ug/kg	n/a	SW846 8260B	77130	AWRL based on 1/2 the lowest 2006 305(b) screening level	12/18/2007	78-93-3
* The suggested method may not be sensitive enough to achieve AWRLs for many parameters.										